

and rectangular configuration; fitted with devices permitting its ready handling, particularly its transfer from one mode of transport to another; so designed to be readily filled and emptied; intended to contain one or more articles of cargo or bulk commodities for transportation by water and one or more other transport modes. The term includes completely enclosed units, open top units, fractional height units, units incorporating liquid or gas tanks and other variations fitting into the container system. It does not include cylinders, drums, crates, cases, cartons, packages, sacks, unitized loads or any other form of packaging.

Longshoring operations means the loading, unloading, moving or handling of cargo, ship's stores, gear, or any other materials, into, in, on, or out of any vessel.

Mississippi River System includes the Mississippi River from the head of navigation to its mouth, and navigable tributaries including the Illinois Waterway, Missouri River, Ohio River, Tennessee River, Allegheny River, Cumberland River, Green River, Kanawha River, Monongahela River, and such others to which barge operations extend.

Public vessel means a vessel owned and operated by a government and not regularly employed in merchant service.

Ramp means other flat surface devices for passage between levels and across openings not covered under the term *dockboards*.

Related employments means any employments performed incidental to or in conjunction with longshoring operations, including, but not restricted to, securing cargo, rigging, and employment as a porter, clerk, checker, or security officer.

River towboat means a shallow draft, low freeboard, self-propelled vessel designed to tow river barges by pushing ahead. It does not include other towing vessels.

Ro-Ro operations are those cargo handling and related operations, such as lashing, that occur on Ro-Ro vessels, which are vessels whose cargo is driven on or off the vessel by way of ramps and moved within the vessel by way of ramps and/or elevators.

Ship's stores means materials that are aboard a vessel for the upkeep, maintenance, safety, operation, or navigation of the vessel, or for the safety or comfort of the vessel's passengers or crew.

Small trimming hatch means a small hatch or opening, pierced in the between deck or other intermediate deck of a vessel, and intended for the trimming of dry bulk cargoes. It does not refer to the large hatchways through which cargo is normally handled.

Vessel includes every description of watercraft or other artificial contrivance used or capable of being used for transportation on water, including special purpose floating structures not primarily designed for or used for transportation on water.

Vessel's cargo handling gear includes that gear that is a permanent part of the vessel's equipment and used for the handling of cargo other than bulk liquids. The term covers all stationary or mobile cargo handling appliances used on board ship for suspending, raising or lowering loads or moving them from one position to another while suspended or supported. This includes, but is not limited to, cargo elevators, forklifts, and other powered industrial equipment. It does not include gear used only for handling or holding hoses, handling ship's stores or handling the gangway, or boom conveyor belt systems for the self-unloading of bulk cargo vessels.

[62 FR 40202, July 25, 1997, as amended at 65 FR 40944, June 30, 2000; 76 FR 33610, June 8, 2011]

§ 1918.3 Incorporation by reference.

(a) (1) The standards of agencies of the U.S. Government, and organizations which are not agencies of the U.S. Government which are incorporated by reference in this part, have the same force and effect as other standards in this part. Only the mandatory provisions (i.e. provisions containing the word "shall" or other mandatory language) of standards incorporated by reference are adopted as standards under the Occupational Safety and Health Act.

(2) The standards listed in paragraph (b) of this section are incorporated by reference in the corresponding sections noted as the sections exist on the date

of the approval, and a notice of any change in these standards will be published in the FEDERAL REGISTER. The Director of the Federal Register approved these incorporations by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51.

(3) Any changes in the standards incorporated by reference in this part and an official historic file of such changes are available for inspection in the Docket Office at the national office of the Occupational Safety and Health Administration, U.S. Department of Labor, Washington, DC 20910; telephone: 202-693-2350 (TTY number: 877-889-5627).

(4) Copies of standards listed in this section and issued by private standards organizations are available for purchase from the issuing organizations at the addresses or through the other contact information listed below for these private standards organizations. In addition, these standards are available for inspection at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, telephone: 202-741-6030, or go to http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html. Also, the standards are available for inspection at any Regional Office of the Occupational Safety and Health Administration (OSHA), or at the OSHA Docket Office, U.S. Department of Labor, 200 Constitution Avenue, NW., Room N-2625, Washington, DC 20210; telephone: 202-693-2350 (TTY number: 877-889-5627).

(b) Except as noted, copies of the standards listed below in this paragraph are available for purchase from the American National Standards Institute (ANSI), 25 West 43rd Street, 4th Floor, New York, NY 10036; telephone: 212-642-4900; fax: 212-398-0023; Web site:

(1) ANSI A14.1-1990, Safety Requirements for Portable Wood Ladders; IBR approved for § 1918.24(g)(1).

(2) ANSI A14.2-1990, Safety Requirements for Portable Metal Ladders; IBR approved for § 1918.24(g)(2).

(3) ANSI A14.5-1992, Safety Requirements for Portable Reinforced Plastic Ladders; IBR approved for § 1918.24(g)(3).

(4) ANSI Z41-1999, American National Standard for Personal Protection—Protective Footwear; IBR approved for § 1918.104(b)(1)(ii). Copies of ANSI Z41-1999 are available for purchase only from the National Safety Council, P.O. Box 558, Itasca, IL 60143-0558; telephone: 1-800-621-7619; fax: 708-285-0797; Web site: <http://www.nsc.org>.

(5) ANSI Z41-1991, American National Standard for Personal Protection—Protective Footwear; IBR approved for § 1918.104(b)(1)(iii). Copies of ANSI Z41-1991 are available for purchase only from the National Safety Council, P.O. Box 558, Itasca, IL 60143-0558; telephone: 1-800-621-7619; fax: 708-285-0797; Web site: <http://www.nsc.org>.

(6) ANSI/ISEA Z87.1-2010, Occupational and Educational Personal Eye and Face Protection Devices, Approved April 13, 2010; IBR approved for § 1918.101(a). Copies are available for purchase from:

(i) American National Standards Institute's e-Standards Store, 25 W 43rd Street, 4th Floor, New York, NY 10036; telephone: (212) 642-4980; Web site: <http://webstore.ansi.org/>;

(ii) IHS Standards Store, 15 Inverness Way East, Englewood, CO 80112; telephone: (877) 413-5184; Web site: <http://global.ihs.com/>; or

(iii) TechStreet Store, 3916 Ranchero Dr., Ann Arbor, MI 48108; telephone: (877) 699-9277; Web site: <http://techstreet.com>.

(7) ANSI Z87.1-2003, Occupational and Educational Personal Eye and Face Protection Devices, Approved June 19, 2003; IBR approved for § 1918.101(a). Copies available for purchase from the:

(i) American National Standards Institute's e-Standards Store, 25 W 43rd Street, 4th Floor, New York, NY 10036; telephone: (212) 642-4980; Web site: <http://webstore.ansi.org/>;

(ii) IHS Standards Store, 15 Inverness Way East, Englewood, CO 80112; telephone: (877) 413-5184; Web site: <http://global.ihs.com/>; or

(iii) TechStreet Store, 3916 Ranchero Dr., Ann Arbor, MI 48108; telephone: (877) 699-9277; Web site: <http://techstreet.com>.

(8) ANSI Z87.1-1989 (R-1998), Practice for Occupational and Educational Eye and Face Protection, Reaffirmation approved January 4, 1999; IBR approved

§ 1918.4

29 CFR Ch. XVII (7–1–16 Edition)

for § 1918.101(a). Copies are available for purchase from:

(i) American National Standards Institute's e-Standards Store, 25 W 43rd Street, 4th Floor, New York, NY 10036; telephone: (212) 642-4980; Web site: <http://webstore.ansi.org/>;

(ii) IHS Standards Store, 15 Inverness Way East, Englewood, CO 80112; telephone: (877) 413-5184; Web site: <http://global.ihs.com/>; or

(iii) TechStreet Store, 3916 Ranchero Dr., Ann Arbor, MI 48108; telephone: (877) 699-9277; Web site: <http://techstreet.com>.

(9) American National Standards Institute (ANSI) Z89.1–2009, American National Standard for Industrial Head Protection, approved January 26, 2009; IBR approved for § 1918.103(b)(1)(i). Copies of ANSI Z89.1–2009 are available for purchase only from the International Safety Equipment Association, 1901 North Moore Street, Arlington, VA 22209-1762; telephone: 703-525-1695; fax: 703-528-2148; Web site: www.safetysite.org.

(10) American National Standards Institute (ANSI) Z89.1–2003, American National Standard for Industrial Head Protection; IBR approved for § 1918.103(b)(1)(ii). Copies of ANSI Z89.1–2003 are available for purchase only from the International Safety Equipment Association, 1901 North Moore Street, Arlington, VA 22209-1762; telephone: 703-525-1695; fax: 703-528-2148; Web site: www.safetysite.org.

(11) American National Standards Institute (ANSI) Z89.1–1997, American National Standard for Personnel Protection—Protective Headwear for Industrial Workers—Requirements; IBR approved for § 1918.103(b)(1)(iii). Copies of ANSI Z89.1–1997 are available for purchase only from the International Safety Equipment Association, 1901 North Moore Street, Arlington, VA 22209-1762; telephone: 703-525-1695; fax: 703-528-2148; Web site: www.safetysite.org.

(c) Copies of the following standards are available for purchase from ASTM International, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959; telephone: 610-832-9585; fax: 610-832-9555; e-mail: service@astm.org; Web site: <http://www.astm.org>.

(1) ASTM F-2412–2005, Standard Test Methods for Foot Protection; IBR approved for § 1917.94(b)(1)(i).

(2) ASTM F-2413–2005, Standard Specification for Performance Requirements for Protective Footwear; IBR approved for § 1917.94(b)(1)(i).

[62 FR 40202, July 25, 1997, as amended at 69 FR 18803, Apr. 9, 2004; 74 FR 46360, Sept. 9, 2009; 77 FR 37599, June 22, 2012; 81 FR 16091, Mar. 25, 2016]

§ 1918.4 OMB control numbers under the Paperwork Reduction Act.

The following list identifies the 29 CFR citations for sections or paragraphs in this part that contain a collection of information requirement approved by the Office of Management and Budget (OMB). The list also provides the control number assigned by OMB to each approved requirement; control number 1218–0196 expires on May 31, 2002 and control number 1218–0003 expires on July 31, 2001. The list follows:

29 CFR citation	OMB control No.
1918.22(g)	1218–0196
1918.24(i)(1)	1218–0196
1918.61(b)(2)	1218–0196
1918.61(c)	1218–0196
1918.61(f)(1)	1218–0003
1918.61(f)(2)	1218–0003
1918.61(g)	1218–0003
1918.61(h)	1218–0003
1918.61(i)	1218–0003
1918.62(b)(1)	1218–0196
1918.62(b)(5)	1218–0196
1918.62(c)(1)	1218–0196
1918.62(d)(1)	1218–0196
1918.62(g)(3)	1218–0196
1918.62(g)(4)	1218–0196
1918.62(h)(1)	1218–0196
1918.62(h)(3)(ii)	1218–0196
1918.62(h)(4)	1218–0196
1918.64(k)(1)	1218–0196
1918.64(k)(2)	1218–0196
1918.65(b)(1)	1218–0196
1918.66(a)(2)	1218–0196
1918.66(a)(8)	1218–0196
1918.66(a)(9)	1218–0196
1918.66(a)(11)	1218–0196
1918.66(a)(15)	1218–0196
1918.66(d)(2)	1218–0196
1918.66(d)(4)	1218–0196
1918.66(f)(1)(v)	1218–0196
1918.85(a)	1218–0196
1918.85(b)(4)(iii)	1218–0196
1918.85(k)(13)	1218–0196
1918.86(b)	1218–0196
1918.86(e)	1218–0196
1918.86(g)	1218–0196
1918.86(h)	1218–0196
1918.93(b)	1218–0196
1918.93(d)(4)	1218–0196
1918.94(c)	1218–0196